



**Performance that
matches your own**

**Take a peek inside to see just what
you can do with the BMP®61 Label Printer**

Trusted identification for finishing tasks flawlessly

Designed for efficient identification of wires, cables and components, the BMP®61 label printer is your rugged and reliable partner in the field and dependable workhorse in the shop. It is designed to be simple, quick, versatile and reliable with high-performance materials that can handle the toughest industrial identification applications, multiple user interfaces, data connectivity options and much more.

Key features and benefits

- Die-cut, continuous and custom label supplies up to 2 in. (50.8 mm) for a range of applications
- 600+ standard parts to support many applications
- 300 dpi print head for clear, crisp font
- Wide cover opening and large material bay offers easy material loading
- Large, color touchscreen display for quick navigation
- Data connectivity with USB 2.0 port, USB flash drive support and optional Wi-Fi (factory installed)
- Smart cell technology for quick, automatic label formatting
- Simple user interface and intuitive QWERTY style key pad
- Tested to survive a four-foot drop with rubber bumpers and durable design
- Utility strap for improved storage and handling



High-performance label materials

Developed in-house, by our experts

As a leader in wire and component identification, Brady's team of scientists and engineers use real-life application scenarios to create innovative products of the highest technological quality for wire, cable and component labeling. Brady's Tobey Research Center material scientists rigorously test all of our products in-house to ensure high performance in a variety of applications, industry compliance, durability and reliability.



Easily create your own personalized labels

Variable font sizes


Font sizes range from 4 to 126 (custom up to 200). The maximum font size available depends on factors such as label size, number of characters, number of lines and font sizes in other lines. Fonts shown to the right are actual size.

Barcode types

- Code 39 and Code 128



- Other barcodes supported in combination with Brady Workstation Mobile and Desktop Software



Bulk parts for high volume printing

Bulk label parts offer a cost-effective solution for high volume printing with the BMP®61 printer*. Look for material catalog numbers that begin with "BM71-" or "BPTL".

* Bulk label printing requires the media feeder and smart cell spool which are included in the bulk material packaging.



Symbol library

- Standard electrical and datacom symbols
- More than 450 built-in graphics
- Built-in time / date stamp
- Download graphics via USB flash drive



Arrows



Datacom



Electrical



GHS



Home electrical



International



Exit



Fire



First aid



Mandatory



Packaging



Prohibition



Public info



Warning



WHMIS

Printer and accessories



BMP®61 Label Printer
Catalog #BMP61



BMP61 Label Printer with Wi-Fi
Catalog #BMP61-W



Soft Case
Catalog #BMP-SC-2
Keep your printer and materials protected and organized



Hard Case
Catalog #BMP-HC-1
Includes foam inserts and spaces to hold cartridges or accessories



Rechargeable NiMH Battery
Catalog #BMP41-BATT
Battery operation makes BMP61 go wherever you need it



Magnet Accessory
Catalog #BMP-MAGNET-1
Heavy-duty magnet affixes printer to metal surfaces for hands-free printing



Carrying Strap
Catalog #BMP-STRAP-1
Utility strap for easy storage and handling



AC Adapter / Battery Charger
Catalog #BMP41-AC
Power printer from wall outlets. Doubles as a battery charger



External Battery Quick Charger
Catalog #BMP41-QC

Printer ribbons

All materials in the printer work with the M61 series ribbons that easily fit into the printer.

B#	Material	M61-R6610	M61-R6010	M61-R6410	M61-R4310	M61-R6210	M61-R4410-WT	M61-R6810-WT	M61-R6710-WT	M61-R4410-RD	M61-R4410-BL
B-109	Polyethylene Tag	—	—	—	●	●	—	—	—	—	—
B-145	Polyethylene Tag	—	▲	—	—	●	—	—	—	—	—
B-321	Polyolefin	—	—	—	—	●	—	—	—	—	—
B-342	PermaSleeve® Polyolefin	●	—	—	●	—	—	—	▲	—	—
B-344	PermaSleeve® Polyolefin	●	●	—	—	—	—	—	▲	—	—
B-345	PermaSleeve® High Temp	●	●	—	—	—	—	—	—	—	—
B-351	Destructible Vinyl	—	●	—	—	●	▲	▲	—	—	—
B-352, B-362	Destructible Vinyl	—	●	—	—	—	—	—	—	—	—
B-390	DuraSleeve® Polypropylene	●	●	—	—	▲	—	—	—	—	—
B-403	Dissolvable Paper	—	—	—	●	—	—	—	—	—	—
B-412	Polypropylene Tag	—	—	—	●	●	—	—	—	—	—
B-422, B-423	Polyester	—	●	—	—	—	●	—	—	▲	▲
B-424	Paper	—	—	—	●	—	—	—	—	—	—
B-425	Polypropylene	—	—	—	●	●	—	—	—	—	—
B-427	Self-laminating Vinyl	—	—	—	●	—	—	—	—	—	—
B-428	Polyester	—	—	—	●	—	—	—	—	—	—
B-430	Polyester	—	●	—	—	●	▲	—	—	▲	▲
B-432	Polyester	—	●	—	—	—	●	—	—	▲	▲
B-435, B-459	Polyester	—	●	—	—	—	—	—	—	—	—
B-437	Self-Extinguishing Tedlar®*	—	—	—	●	●	—	—	—	—	—
B-439	Vinyl	—	●	—	—	—	●	—	—	▲	▲
B-461	Self-laminating Polyester	—	—	—	●	●	—	—	—	—	—
B-473, B-483	Polyester	—	●	—	—	—	—	—	—	—	—
B-486B, B-488, B-489A	Polyester	—	—	—	●	—	—	—	—	—	—
B-490	FreezerBondz™ Polyester	—	—	—	●	—	—	—	—	—	—
B-494	Color Polyester	—	—	●	—	—	—	—	—	—	—
B-498	Vinyl Cloth	●	▲	—	●	▲	—	—	—	—	—
B-499	Nylon Cloth	—	—	—	●	●	—	—	—	—	—
B-584	Reflective Tape	—	●	—	—	—	—	—	—	—	—
B-593	Polyester — GPREP	—	●	—	—	—	●	—	—	▲	▲
B-595	Vinyl	—	●	—	—	—	—	—	—	—	—
B-642	Self-Extinguishing Tedlar	—	—	—	●	●	—	—	—	—	—
B-717, B-718, B-719, B-727	Polyimide	—	●	—	—	—	—	—	—	—	—
B-724	Polyimide	—	—	—	●	—	—	—	—	—	—
B-7351	Void Print Vinyl	—	●	—	—	—	—	—	—	—	—
B-7425	Polypropylene	—	—	▲	●	—	—	—	—	—	—
B-7546	Void Print Polyester	—	●	—	—	—	—	—	—	—	—
B-7551-CL	Polyester	—	—	—	—	●	—	—	—	—	—
B-7576	Void Print Polyester	—	●	—	—	—	—	—	—	—	—
B-7593	Polyethylene — EPREP	—	●	—	—	—	●	—	—	▲	—
B-7596	Polyethylene	—	—	—	●	▲	—	—	—	—	—
B-7597	Polyethylene	—	—	—	●	—	—	—	—	—	—
B-7598	Polyester Tag	—	●	—	—	—	—	—	—	—	—
B-7599-YL	Polyethylene Tag	—	—	—	—	●	—	—	—	—	—
B-7643	Thermoplastic Polyether Polyurethane	—	●	—	—	—	—	—	—	—	—
B-7696	Vinyl Tag	—	●	—	—	●	—	—	—	—	—
B-8425	Polypropylene	—	●	—	—	—	—	—	—	—	—
B-8459	Polyester	—	●	—	—	—	—	—	—	—	—
B-8591	Outdoor Polyester	●	—	—	—	—	—	—	—	—	—

See the Brady TDS for material to ribbon performance specifications. Note: Color ribbon choice is dependent upon the material color.
* Tedlar is a registered trademark of DuPont de Nemours

- Recommended ribbon for use with respective material
- ▲ Acceptable ribbon for use with respective material

Open
here!

We identify and protect premises, products and people.

For more information or to learn more about our innovative products, visit BradyID.com or call 1-888-272-3946.



Y4289865 MS4289865

USA
Customer Service: 1-888-272-3946
Inside Sales: 1-888-311-0775
BradyID.com

Canada
Customer Service: 1-800-263-6179
BradyCanada.ca

Mexico
Customer Service: 1-800-262-7777
Inside Sales: 1-800-262-7777 ext 177
BradyLatinAmerica.com